

—Chas. S. Midmore

ated the former weak points of each breed. Furthermore, the use of carefully selected sires from a single breed tends to improve the uniformity in conformation and color, both important considerations from a marketing standpoint.

**Feeding.** Beef cattle as well as range sheep in Utah are summered largely on the high mountain ranges of the state. They are wintered on desert or other range with or without supplementary feeds according to climatic and range conditions. It is estimated that only two per cent of the cattle of Washington County and five per cent of the cattle of Kane County are winter fed, and these receive only one-half ton of hay per head during but two months of the year while all of the cattle of Cache, Morgan, Rich, Sanpete, Summit, and Wasatch counties are fed for a period of from four



FIGURE 80—Typical sheep-shearing plant, Iron County, Utah.

to six months and receive from one to one and one-half tons of hay per head in addition to what grazing they may do.

Although some steers and cows are shipped fat off the summer ranges, the majority of Utah's cattle are sold as feeders in the fall. During recent years there has been a tendency to market younger cattle where quality will permit. It is a well recognized fact that younger animals make more economical gains than older animals. This fact together with the increased demand for lighter cuts of meats adds incentive to the desire to produce better quality cattle and market them at an earlier age.


**Management.** The semi-arid climate, rugged ranges, and rather severe winters in Utah require careful attention to management plans if maximum returns are to be secured in the beef cattle business.

Some of the points stressed by successful range cattlemen in attempting to secure the highest possible calf drop are, number and quality of sires, control of the breeding season, conditioning of bulls and maintenance of vitality of all breeding stock, shipment of all dry cows over three years of age, segregation of the steers and breeding herd.

crossbreeding practices in order to secure a mutton type of feeder lamb and at the same time produce a combing wool.

A comparison of crossbreds and fine wool sheep based on the opinions of some of the leading Utah breeders indicates that crossbreds are larger, more prolific breeders, and better mothers; that they produce a better type of feeder lamb, a lighter shrinkage wool, a higher percentage of combing wool, and that they are better "rustlers" on the range.

The comparison indicates, however, that the crossbreds are shorter lived than Rambouillets, lose considerably more wool on brush, and do not hold fleece well when past three years of age; that crossbred ewe lambs must be sold as feeders and ewes bought for replacements, and that the crossbreds



*Courtesy National Wool Grower.*

FIGURE 78—A champion Hampshire ram.

are more difficult to herd than Rambouillets. Inquiries have also shown that the crossbreds are not as hardy, suffer heavier losses, and are harder on the range. It is claimed they produce less wool and that fleeces are too loose and too light in weight, and that it is impossible to maintain standards of breeding and uniform wool grades.

Length of life, density and quality of fleece, use of range, standard of breeding and herding instincts being important considerations in range sheep industry, it is generally considered best to hold to the fine wool breed and attempt to improve the type of feeder lambs by breeding for a smoother, thicker-set type where sparse ranges prohibit the production of milk fat lambs. These improvements, along with the culling of ewes with low wool production, are considered factors that should produce the best type of sheep for Utah's range industry.

**Shearing.** Range sheep are shorn either at small privately owned shearing plants or at cooperative or company plants located between the winter and summer ranges, usually nearer the winter range. The shearing season in Utah is from April to June while most sheep are sheared in May.

The common practice in Utah is to shear before lambing. The advantages of this practice are the saving of wool from brushing on sage and oak on the lambing ranges, a lighter shrinkage with less tag lock wool, the possibility of shearing during migration from winter to summer ranges, the closer proximity to shipping points, and the greater ease in lamb suckling through the removal of the wool.

Disadvantages of this method are listed as heavier losses in case of cold storms following shearing, losses of lambs due to rough handling at shearing time, a lighter fleece weight due to lack of yolk which develops with the

warmer weather, and loss in weight and even death loss due to lack of feed at most of the large shearing corrals.

The shearing plants of Utah taken as a whole are not yet suitable for handling wool in a manner justified by the size and importance of the wool crop, although shearing practices have been modified favorably in several instances. At the present time there is a renewed interest in the better preparation of wool for market, and the increased emphasis on quality as a factor in marketing is stimulating interest in more efficient shearing plants.

## BEEF CATTLE


Cattle were brought into the state by the early pioneers, but the first animals of recognized beef breeding were introduced into Utah by overland emigrant trains in 1849 and 1850. Animals of good breeding, but so weak and foot sore that they could not continue the trip to the Western Coast, were traded to Utah farmers for provisions. Thus Utah obtained good cattle far earlier than otherwise would have been the case.

**Breeds.** As early as 1880 and 1890 all the ranges were fully occupied and it is estimated that there were then 160,000 cattle in the state largely of the Shorthorn, Devon, and Hereford breeds in

various crosses with the Longhorns. Owing to the close proximity of small irrigated farms and range country, conditions have been favorable to the development and use of Shorthorn cattle, although the Hereford breed, due to its natural hardiness and rustling ability, today predominates on the ranges of Utah as it does on those of surrounding range states.

Although today the general standard in excellence in range cattle for the state as a whole is hardly on a par with sheep, there are several sections, notably in the northern, eastern, and southern parts of the state, where the quality of beef cattle produced is as high as that of cattle produced in most sections of the country.

Crossbreeding has been carried on to some extent in the state for the express purpose of increasing size and bone of the range herd. The crossing of recognized standard beef breeds will undoubtedly help to develop a desirable beef type, yet the steady development of the individual breeds has largely elim-



*Courtesy National Wool Grower.*

FIGURE 79—A champion Rambouillet Ram, the breed for which Utah is famous.